



Certificate of Analysis

Compliance Test

AVERE, LLC
3 School Street Suite 101B
Glen Cove, NY 11542

Batch # 2212B
Batch Date: 2023-01-10
Extracted From: Hemp

Test Reg State: Colorado

Production Facility: Pulpo
Production Date: 2023-01-10

Order # PUL230113-010001
Order Date: 2023-01-13
Sample # AADZ126

Sampling Date: 2023-01-16
Lab Batch Date: 2023-01-16
Completion Date: 2023-01-18

Initial Gross Weight: 160.200 g
Net Weight: 69.967 g
Density: 1.0755 g/ml
Volume: 30 ml

Number of Units: 2
Net Weight per Unit: 34983.500 mg



Product Image

Potency
Tested

Heavy Metals
Passed

Staphylococcus Aureus
Passed



Potency 10

Specimen Weight: 105.420 mg

Tested
SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/ml)	(%)
CBD	10.000	5.40E-5	0.0015	11.4000	1.0600
CBC	10.000	1.80E-5	0.0015	0.5150	0.0479
Delta-9 THC	10.000	1.30E-5	0.0015	0.3300	0.0307
CBG	10.000	2.48E-4	0.0015	0.2120	0.0197
CBDa	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ



Potency Summary

Total Active THC 0.031%	11.550mg	Total Active CBD 1.060%	398.820mg
Total CBG 0.020%	7.000mg	Total CBN	None Detected
Other Cannabinoids 0.048%	16.790mg	Total Cannabinoids 1.158%	405.110mg



Heavy Metals - CO

Specimen Weight: 246.400 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 202.922

Analyte	LOD (ppb)	LOQ (ppb)	Action Limit (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Limit (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	0.58	100	500	<LOQ
Cadmium (Cd)	0.64	100	500	<LOQ	Mercury (Hg)	11.76	100	1500	<LOQ



Staphylococcus Aureus

Specimen Weight: 279.300 mg

Passed
SOP13.017
(qPCR)

Dilution Factor: 1.000

Analyte	Action Limit (cfu/g)	Result
Staphylococcus aureus	1	Absence

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, *Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

CERTIFICATE OF ANALYSIS

Prepared for:
AVERE, LLC
3 School Street Suite 101B
Glen Cove, NY 11542

Restore 30ml

Batch ID or Lot Number: 2212B 2	Test: Microbial Contaminants	Reported: 19Jan2023	USDA License: N/A
Matrix: Finished Product	Test ID: T000232925	Started: 16Jan2023	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 16Jan2023	Status: Active

Microbial Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
19Jan2023
02:55:00 PM MST



Brett Hudson
19Jan2023
04:57:00 PM MST



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/369b3c1c-ad61-4fd9-9f01-6804ac4879f7>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

CDPHE Certified

369b3c1cad614fd99f016804ac4879f7.1

CERTIFICATE OF ANALYSIS

Prepared for:
AVERE, LLC

3 School Street Suite 101B
Glen Cove, NY 11542

Restore Sample

Batch ID or Lot Number: 2212B 1	Test: Microbial Contaminants	Reported: 19Jan2023	USDA License: N/A
Matrix: Finished Product	Test ID: T000232924	Started: 16Jan2023	Sampler ID: N/A
	Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)	Received: 16Jan2023	Status: Active

Microbial

Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
19Jan2023
02:55:00 PM MST



Brett Hudson
19Jan2023
04:57:00 PM MST



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/02e2a70e-889b-4407-a96e-ac760fb702b6>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

CDPHE Certified

02e2a70e889b4407a96eac760fb702b6.1